

L Number	Hits	Search Text	DB	Time stamp
1	3883	(707/3,103R).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:23
2	1137	(709/316,231).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:23
3	903	(717/100-108).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:24
4	947	((717/114-116) or (717/174-178)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:24
-	298	(pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:26
-	66	((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) and (tag\$4 adj2 ( id or header or content or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:10
-	121	((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:55
-	29	(((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) and (tag\$4 adj2 ( id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212) )) and (( convert\$4 near4 binary) or (tag adj2 identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:51
-	9	(((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) and (tag\$4 adj2 ( id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212) )) and (( convert\$4 near4 binary) or (tag adj2 identifier))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:20
-	16	(((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) and (tag\$4 adj2 ( id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212) )) and (( convert\$4 near4 binary) or (tag adj2 identifier))) not ((((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) and (tag\$4 adj2 ( id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212) )) and (( convert\$4 near4 binary) or (tag adj2 identifier))) and 717/\$) and ((pack\$4 or unpack\$4) near5 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:20

-	146	((serializ\$5 or stream\$4 ) near4 (class or (pack\$4 adj3 object))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:54
-	113	((((serializ\$5 or stream\$4 ) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:54
-	121	((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:55
-	43	(((((serializ\$5 or stream\$4 ) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212)) and ((pack\$4 or unpack\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:56
-	43	(((((serializ\$5 or stream\$4 ) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212)) and ((pack\$4 or unpack\$4))) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 11:32
-	3	Merk.in. and serializ\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:33
-	3	6292933.URPN.	USPAT	2003/10/17 14:26
-	2	JDOM and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:56
-	0	20020143941.URPN.	USPAT	2003/10/17 16:35
-	67	"distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:36
-	28	(pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:42
-	24	((pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212) ) and (tagged near3 (object or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:44
-	29	ORB and (tagged near3 (object or data)) and (encapsulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:45
-	5	(ORB and (tagged near3 (object or data)) and (encapsulat\$4)) not ((pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:45
-	86	moniker and encapsulat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 08:50

-	19	(moniker and encapsulat\$4) and (( object) same (tag\$4)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:07
-	18	(stub ) and (tagged near3 (id or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:08
-	76	(stub ) and (marshall\$4 same unmarshall\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:10
-	159	(stub ) and (marshals\$4 same unmarshals\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:10
-	12	(moniker and encapsulat\$4) and ((stub ) and (marshals\$4 same unmarshals\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:10
-	77	(pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:11
-	55	((pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:07
-	298	((complex and simple) or list) adj2 object) and (tag\$4 near4 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:14
-	276	((complex and simple) or list) adj2 object) and (tag\$4 near4 data)) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:14
-	13	((pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.as.) and (((complex and simple) or list) adj2 object) and (tag\$4 near4 data)) not Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:14
-	75	5907704.URPN.	USPAT	2003/10/20 15:06
-	6	("5287447"   "5423041"   "5487141"   "5493680"   "5499333"   "5680619").PN.	USPAT	2003/10/20 09:39
-	5	("5287447"   "5423041"   "5493680"   "5499333"   "5499371").PN.	USPAT	2003/10/20 09:42
-	13	("5519867"   "5692180"   "5907704"   "5915253"   "5951649"   "5995753"   "6032151"   "6041347"   "6052528"   "6173289"   "6249820"   "6278995"   "6321259").PN.	USPAT	2003/10/20 09:55
-	75	5907704.URPN.	USPAT	2003/10/20 15:06
-	701	((pack\$5 near3 object) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:07

-	3	5907704.URPN. and (((pack\$5 near3 object) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:22
-	168	(encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:55
-	695	(tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:28
-	69	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id))) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:45
-	34	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id))) and ((tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:34
-	12	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id))) and ((tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212) ) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:28
-	37	((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2 ) adj2 (package or bundle or archive)) ) and ( unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:33
-	8	((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2 ) adj2 (package or bundle or archive)) ) and ( unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:40
-	29	((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2 ) adj2 (package or bundle or archive)) ) and ( unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not (((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2 ) adj2 (package or bundle or archive)) ) and ( unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:40

-	169	(encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:55
-	84	(Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:58
-	45	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09:58
-	22	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:42
-	2	6226692.URPN.	USPAT	2003/10/21 10:08
-	5	("5295242"   "5481715"   "5692183"   "5751962"   "5848419").PN.	USPAT	2003/10/21 10:10
-	1	(transmi\$6 near4 ((packed or compacted or zipped or packaged) adj2 (container or object or bundle))) and API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:42
-	23	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) ) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:14
-	36	((architecture or platform) near2 independent) near2 (container or package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:57
-	1	((architecture or platform) near2 independent) near2 (container or package)) ) and API and (header and (transmitted or transmission or sent or received))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:57
-	1	((architecture or platform) near2 independent) near2 (container or package)) ) and (tag\$3 near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 10:58

-	3	(((((architecture or platform) near2 independent) near2 (container or package)) ) and (header and (transmitted or transmission or sent or received))) or (((((architecture or platform) near2 independent) near2 (container or package)) ) and (tag\$3 near3 data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:08
-	2756	Brown.in. and container	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:12
-	12	(Brown.in. and container) and ((platform or architecture) near2 independent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:56
-	3	((Brown.in. and container) and ((platform or architecture) near2 independent)) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:56
-	2	(((((architecture or platform) near2 independent) near2 (container or package)) ) and (header and (transmitted or transmission or sent or received))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:59
-	756	(packaging near3 (object or class)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:55
-	614	((packaging near3 (object or class)).ti.) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:56
-	4	((((packaging near3 (object or class)).ti.) and (@ad<=20001212 or @rlad<=20001212) ) and ((platform or architecture) near2 independent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 11:56
-	1012	( (pack\$6 near5 (object or class or content or media)).ab. and distribution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:10
-	4	( ( (pack\$6 near5 (object or class or content or media)).ab. and distribution)) and (object near3 type) and (pack\$4 and unpack\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:12
-	4	(transmission near3 ((Java or beans or media) near2 package)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:14

-	23	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) ) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:33
-	1	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) ) and (@ad<=20001212 or @rlad<=20001212) ) and "fixed format".ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:18
-	1	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) ) and (@ad<=20001212 or @rlad<=20001212) ) and "piecemeal".ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:20
-	1	Merk.in. and package and transmission	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 15:50

-	23	((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list ) adj3 object ) and (object near3 (type and location or identifier or id)) ) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) ) and (@ad<=20001212 or @rlad<=20001212)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 08:34
-	2	((US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6253256-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$).did. or (US-20010020243-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020065872-\$ or US-20030005411-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.) and (language near2 independent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 11:50
-	8	(" ntohs" or " hton") and "C language"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:56
-	0	(" ntohs" or " hton") and "Java language"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:57
-	4	(" ntohs" or " hton") and "Java"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:20